	Application No.	Applicant(s)
Notice of Allowability	10/816,935	SEKI ET AL.
	Examiner	Art Unit
	Makasa I Kawal	2000
	Melissa J. Koval	2862
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is s	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to the RCE of October 31, 2007.		
2. The allowed claim(s) is/are <u>5 and 23-27 (now renumbered 1-6)</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:		or (f).
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
AM		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Su	mmary (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./N 7. ⊠ Examiner's A	Mail Date Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance
of Biological Material	_	
	9. 🗌 Other	•

10/816,935 Art Unit: 2862

EXAMINER'S COMMENT

and

EXAMINER'S STATEMEN OF REASONS FOR ALLOWANCE

Allowable Subject Matter

Claims 5 and 23-27 (now renumbered 1-6) are allowed.

The following is an examiner's statement of reasons for allowance:

The examiner interprets the following limitation of newly amended claim 5, i.e. "from an opening" to mean that a laser beam, from a laser beam source, is outputted through an opening, and the laser beam outputted through the opening, is modulated by an image signal. Support for the limitation "an opening" is found in the specification filed August 18, 2004.

Each and every limitation of claim 5 is required to patentably distinguish the claim over the prior art of record.

The prior art of record neither shows nor suggests all of the limitations of independent claim 27, in combination, and particularly:

"a light source unit for screen monitoring that emits invisible light for monitoring the screen;

a screen monitoring unit that receives the invisible light reflected from the screen, and includes a light source that emits invisible light and a light receiving unit that receives invisible light reflected from the screen;

Application/Control Number:

10/816,935

Art Unit: 2862

a control unit that controls the laser beam source so as to stop output of the laser beam based on an output of the screen monitoring unit;

a filter that allows the invisible light to pass through and absorbs or reflects the laser beam that is arranged in a light path between the screen and the light receiving unit; and

a housing that covers an optical path from the laser beam source to the backside of the screen, wherein:

the control unit controls the laser beam source so as to stop output of
the laser beam when an intensity of the invisible light received the by light receiving unit
is lower than a predetermined value."

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melissa J. Koval whose telephone number is (571) 272-2121. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Assouad can be reached on (571) 272-2210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/816,935

Art Unit: 2862

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Melissa Jan Koval Primary Examiner Art Unit 2862 MJK

> MELISSA JAN KOVAL PRIMARY EXAMINER